




**CERAMONDO**

La Ceramica Di Alta Qualità






THE  
MODERN AVATAR  
OF YOUR FAVORITE  
STONE SURFACES



SAVE NATURE  
SAVE EARTH  
SAVE LIFE



*Safeguarding Nature*



SURFACES THAT ENSURE  
PROTECTION  
OF NATURE




STONE






# INTERIOR






YOUR  
INTERIORS  
WILL NEVER  
BE THE  
SAME.





# EXTERIOR







EXTERIOR  
SURFACES  
ARE SET  
TO BE  
TRANSFORMED.

800X2400MM  
800X3000MM  
800X3200MM

15MM



## Application Areas

Designed to perfectly suit all your requirements for a lavish space that uplifts and defines your ambiance to give it a greater look. With a promising quality and wide range design, we offer the best designs. We believe in quality & best service!



Basin Top




Vanity Top




Kitchen Counter Top



Heavy Traffic Area



Wash Basin



Step & Riser



Table Top



Furniture



## EDGE PROFILES



Micro bevel



Double straight rounded edge



Straight squared edge



Double straight squared edge



Rounded straight edge



Half bullnose



Squared edge at 45°



Hollywood Bevel



Full bullnose



Demi bullnose



Cove dupont



Cove



Normandy Bead



Stepped Bullnose



Dupont



Ogee

## JOINT POSSIBILITIES



Birds beak



45° corner



Soft corner



To enhance the beauty of the tiles, a precision trim can be given to them. Our tiles are of 15 mm thickness, which makes it possible to shape the edges of tiles in different styles and create aesthetically rich counter tops as required. Tiles with nicely trimmed edges also make for cleaner and elegant joints.





Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## CRYSTAL WHITE

### Size

800X2400mm

### Thickness

15mm

### Finish

Glossy / Matt

### Type

Color Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E








Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## IVORY

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy / Matt

**Type**  
Full Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





## KOTA

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy / Matt

**Type**  
Full Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## LIGHT GREY

### Size

800X2400mm

### Thickness

15mm

### Finish

Glossy / Matt

### Type

Full Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





## DARK GREY

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy / Matt

Type  
Full Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## WALNUT

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy / Matt

**Type**  
Full Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## CHOCO

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy / Matt

**Type**  
Full Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## CRYSTAL BLACK



**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy / Matt

**Type**  
Color Body

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





CRYSTAL WHITE




IVORY



KOTA



LIGHT GREY




DARK GREY



WALNUT



CHOCO



CRYSTAL BLACK



COLOR BODY /  
FULL BODY

THICKNESS  
15 MM

SIZE  
800X2400 MM

FINISH  
GLOSSY / MATT





Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## GALAXY WHITE

Size  
800X2400mm


Thickness  
15mm

Finish  
Glossy / Matt

Type  
Full Body

Face  
Random

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





## GALAXY IVORY

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy / Matt

**Type**  
Full Body

**Face**  
Random

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## SNP BROWN

Size  
800X2400mm


Thickness  
15mm

Finish  
Glossy / Matt

Type  
Full Body

Face  
Random

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## SNP BEIGE

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy / Matt

Type  
Full Body

Face  
Random

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## SNP VERDE

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy / Matt

**Type**  
Full Body

**Face**  
Random

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







## SNP GREY

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy / Matt

Type  
Full Body

Face  
Random

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## SNP BLACK

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy / Matt

Type  
Full Body

Face  
Random

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





GALAXY WHITE

GALAXY IVORY

SNP BROWN

SNP BEIGE

SNP VERDE

SNP GREY

SNP BLACK

**FULL BODY**

**THICKNESS**

15 MM

**SIZE**

800X2400 MM

**FINISH**

GLOSSY / MATT





## INFINITO GREY

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy


**Type**  
Color Body

**Random**



2

1

2



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)





CERAMONDO



Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## AMBRATO NERO

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

1




1

1

1



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)





Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## SAINT LAURENT

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy


Type  
Color Body

Random  
2


S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2



Random faces







Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## LEVANTO NERO

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

3


1

2

3



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Random faces





Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## PORTORO BLACK

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

1


S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2



Random faces





## PORTOFINO BLACK

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy


Type  
Color Body

Random


2

1

2



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)






Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## PORTORO GOLD

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

1



1

1

1



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)





Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## BLUE AGATHA

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

2

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2



Random faces





## ONYX BROWN

Size  
800X2400mm



Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random  
1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)





Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## ROMA BLACK

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

1



1

1

1



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)





Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## FOSSIL BROWN

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy


Type  
Color Body

Random


2

1

2



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Random faces





CERAMONDO



Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## ELECTRIC BLUE

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy


**Type**  
Color Body

**Random**


2

1

2



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Random faces





Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## ELECTRIC BLACK

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy


Type  
Color Body

Random

2

1

2



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Random faces








Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface




Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## VOLGA BLUE

Size  
800X2400mm

Thickness  
15mm


Finish  
Glossy

Type  
Color Body

Random

1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## FUSION ROSE

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

1


1

1

1



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)





Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## UNIQUE NEGRO

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

2


S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2



Random faces





## COOPER PEARL

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random  
1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## ROMAN PEARL

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random

1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## CHObA

Size  
800X2400mm

Thickness  
15mm


Finish  
Glossy

Type  
Color Body

Random

1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





## CALACATTA GOLD

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random  
2

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2



Random faces







Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## STATUARIO VOLKAS

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random


3

1

2

3

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)







## RED SPIDER

**Size**  
800X2400mm

**Thickness**  
15mm

**Finish**  
Glossy

**Type**  
Color Body



**Random**  
3

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2

3



Continue faces  
(also use in random faces)







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## DIAMOND GOLD

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random


3

1

2

3

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)







CERAMONDO



Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## PANTAGONIA WHITE

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body


Random

3

1

2

3



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Random faces







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## BRAZILIAN

Size  
800X2400mm

Thickness  
15mm


Finish  
Glossy

Type  
Color Body

Random

1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E







Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## CREMA MONTANA

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random

3

1

2

3



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Random faces







- Light Weight
- Frost Resistance
- Flexural Strength
- Wear & Tear Resistance
- Resistance to Heat
- Waterproof Surface
- Chemical Resistance
- Resistance To UV Rays
- Impact Resistance
- Stain Resistance

## PEBBLES WHITE

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random  
1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





## TERRAZZO BIANCO

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random

2

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2



Random faces







Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## SCREPOLATO NERO

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random

3

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2

3



Random faces







CERAMONDO



Light Weight



Frost Resistance



Flexural Strength



Wear & Tear Resistance



Resistance to Heat



Waterproof Surface



Chemical Resistance



Resistance To UV Rays



Impact Resistance



Stain Resistance

## TIMELESS CALACATTA BORGHINI

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random

3


1

2

3



S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E



Continue faces  
(also use in random faces)



## COPENHAGEN

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body



Random  
3

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2

3



Random faces





Light Weight



Frost Resistance



Flexural  
Strength



Wear & Tear  
Resistance



Resistance  
to Heat



Waterproof  
Surface



Chemical  
Resistance



Resistance  
To UV Rays



Impact  
Resistance



Stain  
Resistance

## PROSTONE IVORY

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy

Type  
Color Body

Random

1

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





## LOUISE GREEN

Size  
800X2400mm

Thickness  
15mm

Finish  
Glossy


Type  
Color Body

Random  
2

S  
I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

1

2



Random faces



## SUNSHINE CRYSTAL

Size  
800X2400mm


Thickness  
15mm

Finish  
Carving Matt

Type  
Color Body

Random  
1

I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E





## SUNSHINE FANCY

Size  
800X2400mm

Thickness  
15mm

Finish  
Carving Matt

Type  
Color Body

Random

1

I  
N  
T  
E  
R  
E  
D  
S  
T  
O  
N  
E

